

RAW MATERIALS

CONTENTS

Acrylic Sheets.....	257
Cable & Cable Hardware.....	257
Felt Strips.....	260
Hoses • Ducts	260
Miscellaneous Supplies	261
Mouldings • Channels	261
Safety Wire.....	262
Sheet Metal.....	262
Spar Extrusions	262
Steel 'U' Channels	262
Stringer Extrusions.....	263
Strut Blanks (Streamline Tubes)	263
Tubing.....	263

Acrylic Sheets

Acrylic Plastic Sheets

Acrylic sheets have outstanding weathering characteristics and physical/color stability. Widely used in aircraft for windows and windshield material. Covered on both sides for added protection.

Priced per square foot. Sold in full 4 x 6 foot sheets only (24 sq ft).

Thickness	Color	Part #	Price/Sq Ft
.060 inch.....	Clear.....	.060-CLR.....	\$7.30
.060 inch.....	Green060-EZI.....	\$5.85
.060 inch.....	Blue060-BLU.....	\$7.04
.080 inch.....	Clear.....	.080-CLR.....	\$5.82
.100 inch.....	Clear.....	.100-CLR.....	\$4.44
.125 inch.....	Clear.....	.125-CLR.....	\$6.59
.125 inch.....	Green125-EZI.....	\$6.60
.125 inch.....	Smoke.....	.125-SMOKE.....	\$6.26

Opaque Bright White Acrylic Sheet

These .052 inch thick nitrate plastic sheets have many uses, such as inspection rings or plates, drain grommets, etc. Every shop should have a supply for everyday use.


Priced per square foot. Sold in full 25" x 50" sheets only (8.68 sq ft).

Per Square Foot.....	DR-101	\$4.46
----------------------	--------------	---------------

Cable & Cable Hardware

Flexible Control Cable

- All flexible control cable is priced per foot
- Common cable hardware can be found on our website



7 x 7 Flexible Control Cable has seven strands of seven wires each. Used for control purposes where extreme flexibility is not required, but where abrasion control is a factor. Made to specifications MIL-W-1511 (galvanized) and MIL-C-5424 (stainless).



7 x 19 Extra Flexible Control Cable has seven strands of 19 wires each. Its greater metallic area makes it stronger than 7 x 7 cable. Because of its fine wires, the best service is obtained with 7 x 19 wire where abrasion is not too severe. These same fine wires, however, make it most flexible to meet severe bending. Made to specifications MIL-W-1511A (galvanized) and MIL-C-5424 (stainless).


Diameter in Inches	Const.	Breaking Strength in Pounds	Weight per 100 feet	Part #	Price/Ft
■ Galvanized					
1/16	7 x 7	480	.75	1/16-7X7G	\$0.44
3/32	7 x 19	1000	1.74	3/32-7X19G	\$1.02
1/8	7 x 19	2000	2.90	1/8-7X19G	\$2.58
■ Stainless					
1/16	7 x 7	480	.75	1/16-7X7S	\$0.58
3/32	7 x 19	920	1.74	3/32-7X19S	\$2.00
1/8	7 x 19	1760	2.90	1/8-7X19S	\$4.07

NOTES

Swageable Terminals

Made of corrosion resistant steel. When properly swaged to the cable, these terminals will maintain the minimum rated breaking strength of that cable. (See control cable for ratings.)

Ball and Shank



• Dimensions in inches

Part #	Cable Diameter	Hole Size	Price
Ball and Double Shank			
AN663C2	1/16"	0.073"	\$0.40
AN663C3	3/32"	0.104"	\$0.62
MS20663C4 (AN663C4)	1/8"	0.139"	\$2.64

Ball and Single Shank

MS20664C2	1/16"	0.073"	\$0.78
MS20664C3	3/32"	0.104"	\$1.06
MS20664C4	1/8"	0.139"	\$1.40
MS20664C5	5/32"	0.169"	\$1.54
AN664C6	3/16"	0.201"	\$2.30

Cable Terminals – Fork Ends and Eye Ends



• Dimensions in inches

Part #	Cable Diameter	Hole Size	Price
Fork End			
MS20667-2 (AN667-2)	1/16"	0.190"	\$10.78
AN667-3	3/32"	0.190"	\$2.82
MS20667-4 (AN667-4)	1/8"	0.190"	\$16.91
MS20667-5 (AN667-5)	5/32"	0.250"	\$24.38
MS20667-6 (AN667-6)	3/16"	0.313"	\$28.94
Eye End			
MS20668-2 (AN668-2)	1/16"	0.190"	\$4.84
MS20668-3 (AN668-3)	3/32"	0.190"	\$6.66
MS20668-4 (AN668-4)	1/8"	0.190"	\$7.94
MS20668-5 (AN668-5)	5/32"	0.250"	\$8.62
AN668-6*	3/16"	0.313"	\$65.94

*Not a stock item; special order only

MS21260 Series Terminals – Slotted



- For use with safety clips rather than safety wire
- Dimensions in inches

	Part # Right Hand	Part # Left Hand	Size and Thread	Cable Diameter	Breaking Strength
Short End	MS21260S2R \$5.60	MS21260S2L \$7.14	6-40	1/16"	480 lbs
	MS21260S3R \$6.70	AN669S3L \$6.74	10-32	3/32"	920 lbs
	MS21260S4R (AN669S4R) \$9.30	MS21260S4L (AN669S4L) \$9.30	1/4-28	1/8"	2,000 lbs
Long End	MS21260L2R (AN669L2R) \$8.26	MS21260L2L (AN669L2L) \$8.26	6-40	1/16"	480 lbs
	AN669L3R \$9.24	AN669L3L \$9.24	10-32	3/32"	920 lbs
	MS21260L4R \$8.70	MS21260L4L \$10.68	1/4-28	1/8"	2,000 lbs

Nicopress Sleeves

Oval shaped copper sleeves used in making eye or lap splices in flexible cable. Sleeves are slipped over the two strands of cable to be fastened and are then compressed with special Nicopress hand squeezers. Provides a bond that is even stronger than a standard splice. Sleeves are available in a range of sizes for use with the most popular cable diameters.

Plain Copper sleeves are the most popular, and are carried in stock in a range of sizes for use with the most popular cable diameters.

For Cable Diameter	Part #	Price
1/16 inch	18-1-C	\$0.16
3/32 inch	18-2-G	\$0.18
1/8 inch	18-3-M	\$0.40
5/32 inch	18-4-P	\$0.97
3/16 inch	18-6-X	\$1.50

Zinc Plated Copper sleeves are also available, at a slightly higher cost. For use with stainless steel cables.

For Cable Diameter	Part #	Price
1/16 inch	28-1-C	\$0.18
3/32 inch	28-2-G	\$0.40
1/8 inch	28-3-M	\$0.56
5/32 inch	28-4-P	\$1.24


If you don't find the part you need, be sure to give us a call. We are here to help you with all of your classic aircraft needs!



Order online or by phone.


Cable Straps

Cable Size	Type	Part #	Price
1/16 inch	A	SA361-2	\$1.57
3/32 inch	A	BM2482-3	\$8.58
1/8 inch	A	BM2482-4	\$10.66
1/16 inch	B	SA362-2	\$3.02
3/32 inch	B	BM2500-3	\$4.94
1/8 inch	B	BM2500-4	\$7.46



Cable Shackles

- AN115 shackles listed below are cadmium-plated steel
- Dimensions in inches




Shackle	D	F	G	Thimble	Clevis Pin
AN115-16 \$22.50	3/16"	5/16"	5/32"	AN100-4 \$0.24	MS20392-2C11 \$0.72
AN115-21 \$17.34	3/16"	5/16"	5/32"	AN100-4 \$0.24	MS20392-2C11 \$0.72
AN115-32 \$34.02	1/4"	7/16"	13/64"	AN100-5 \$0.54	MS20392-3C15 \$0.58
MS20115F6 \$57.90	5/16"	17/32"	17/64"	AN100-6 \$1.34	MS20392-3C17 \$0.44
AN115-80 \$42.14	7/16"	23/32"	11/32"	-	-
AN115-125 \$20.94	3/8"	9/16"	17/64"	-	-

Cable Thimbles

Available in cadmium-plated steel (CPS) and stainless steel (SS), thimbles are made in conformance with government procurement specification MIL-T-5677 and standard drawing AN100.

- Dimensions in inches



Fits Cable Size	Material	A	B	Part #	Price
1/16" - 5/64"	CPS	11/32"	45/64"	AN100-3	\$0.40
1/16" - 5/64"	SS	11/32"	45/64"	AN100C3	\$0.40
3/32" - 7/64" - 1/8"	CPS	11/32"	45/64"	AN100-4	\$0.24
3/32" - 7/64" - 1/8"	SS	11/32"	45/64"	AN100C4	\$0.32
5/32"	CPS	13/32"	51/64"	AN100-5	\$0.54
5/32"	SS	13/32"	51/64"	AN100C5	\$0.54
3/16"	CPS	1/2"	1"	AN100-6	\$1.34
7/32"	CPS	39/64"	1 13/64"	AN100-7	\$1.36
1/4"	CPS	54/64"	1 13/32"	AN100-8	\$0.31

MS Series Pulleys

Old Part #	Current Part #	Outside Diameter	Price
AN219-2	MS20219-2	1 3/4"	\$32.68
AN219-4	MS20219-4	2 5/8"	\$38.26
AN220-1	MS20220-1	1 3/4"	\$43.36
AN220-2	MS20220-2	3"	\$43.56
AN220-3	MS20220-3	4 1/4"	\$55.53
AN220-4	MS20220-4	5 1/2"	\$55.59
AN210-1A	MS24566-1B	1 1/4"	\$37.16
AN210-2A	MS24566-2B	2 1/2"	\$36.48
AN210-3A	MS24566-3B	2"	\$36.10
AN210-4A	MS24566-4B	3 1/2"	\$51.98
AN210-5A	MS24566-5B	5"	\$143.04

Piper Pulleys

FAA-PMA APPROVED



Description	O.D.	I.D.	Part #	Price
1) Pulley (Fiber)	2 3/4 inch	3/8 inch	U41171-000	\$72.76
2) Pulley, No Slot (Fiber)	2 3/4 inch	3/8 inch	U40991-000	\$17.27
3) Pulley (Fiber)	2 3/4 inch	5/16 inch	U41001-008	\$59.97
4) Pulley (Fiber)	1 3/4 inch	1/4 inch	U80421-000	\$11.67
5) Pulley (Fiber)	1 1/2 inch	1/4 inch	U481-609	\$11.23
6) Pulley (Fiber)	1 1/8 inch	1/4 inch	U11200-000	\$14.34
7) Pulley (Fiber)	1 inch	1/4 inch	U43001-000	\$17.15
8) Pulley (Aluminum)	2 3/4 inch	3/8 inch	U43061-000	\$113.55
9) Pulley (Aluminum)	2 3/4 inch	3/8 inch	U12983-000	\$65.26
10) Pulley (Aluminum)	2 3/4 inch	3/8 inch	U10080-000	\$150.42
11) Pulley (Aluminum)	4 inch	3/8 inch	U11008-000	\$176.34
12) Pulley (Aluminum)	4 inch	3/8 inch	U12982-000	\$132.71

Bushings for Pulleys # 3, 4, 5, 6

Part #	O.D.	I.D.	Length	Price
U80012-003	1/4"	3/16"	5/16"	\$5.61
U80012-004	1/4"	3/16"	3/8"	\$7.03
U86102-092	1/4"	3/16"	3/4"	\$12.51

Felt Strips

- Ideal for sealing or chafe protection
- Priced per length

Dimensions	Part #	Price
1/16" x 1 1/2" x 120"	FELT-1/16X1.5	\$9.81
1/8" x 1 1/2" x 72"	FELT-1/8	\$10.38
1/4" x 1 1/2" x 72"	FELT-1/4	\$11.11
1/2" x 2" x 72"	FELT-1/2X2	\$20.36
1/2" x 3" x 72"	FELT-1/2X3	\$30.56
3/8" x 1 1/2" x 72"	FELT-3/8	\$14.28

Hoses • Ducts

Aeroquip Hoses

- All Aeroquip hoses are priced and sold by the inch

Aeroquip 303 Hoses

- Synthetic rubber tube, textile inner braid, single wire braid reinforcement and black textile braid cover



Inside Diameter	Part #	Price/Inch
1/4 inch	303-4	\$1.16
3/8 inch	303-6	\$1.36
1/2 inch	303-5	\$1.29
3/4 inch	303-8	\$1.44
1 inch	303-10	\$1.60

Aeroquip 306 Hoses

- Seamless synthetic rubber tube, single cotton braid reinforcement, synthetic rubber outer cover



Inside Diameter	Part #	Price/Inch
1/8 inch	306-2	\$0.91
1/4 inch	306-4	\$0.52
3/8 inch	306-6	\$0.70
1/2 inch	306-8	\$0.89
3/4 inch	306-10	\$1.39

Aeroquip Braided Hoses

- Synthetic rubber tube, textile braid reinforcement, synthetic rubber cover



Inside Diameter	Part #	Price/Inch
1/4 inch	2556-04	\$7.15
3/8 inch	2651-04	\$12.34

Aeroquip Engine and Air Brake Hoses

- Elastomer tube, polyester inner braid and a single wire braid reinforcement, black polyester textile braided cover



Inside Diameter	Part #	Price/Inch
5/16 inch	FC350-6	\$10.39
13/32 inch	FC350-8	\$10.20

Flexible Aluminum Ducting

- Priced and sold by the foot
- Cut to length

1 inch diameter	AD1	\$3.63
1 1/2 inch diameter	AD1.5	\$9.73



MIL-H-6000 Hose

- Priced and sold by the foot



Inside Diameter	Part #	Price/Ft
1/4 inch	MIL6000-4	\$7.37
5/16 inch	MIL6000-5	\$6.67
3/8 inch	MIL6000-6	\$8.21
1/2 inch	MIL6000-8	\$8.33
5/8 inch	MIL6000-10	\$10.09
3/4 inch	MIL6000-12	\$10.15
1 inch	MIL6000-16	\$12.51
1 1/4 inch	MIL6000-20	\$13.98

Aeroduct Wire-Supported Duct

Only Aeroduct is standard original equipment on most new civilian aircraft and is the best replacement duct available for older aircraft.

- Flexible
- Easy to install
- Plain cut ends only
- Priced and sold by the foot



CAT (-65°F to +350°F) • Neoprene • 10 ft length

- Support: Copper coated or bronze plated, spring steel wire helix
- Cover: 1-ply fiberglass fabric, impregnated and coated with black neoprene rubber
- Cord: Fiberglass cord impregnated with neoprene rubber

Inside Diameter	Part #	Price/Ft
1 inch	CAT4	\$6.98
1 1/4 inch	CAT5	\$6.55
1 1/2 inch	CAT6	\$6.60
1 3/4 inch	CAT7	\$6.88
2 inch	CAT8	\$7.04
2 1/4 inch	CAT9	\$7.91
2 1/2 inch	CAT10	\$8.17

3 inch	CAT12	\$9.64
3½ inch	CAT14	\$11.25
4 inch	CAT16	\$12.01

CEET - Neoprene - 10 ft length

• Same specifications as CAT except with 2-ply cover and lining

Inside Diameter	Part #	Price/Ft
1 inch	CEET4	\$8.26
1¼ inch	CEET5	\$9.92
1½ inch	CEET6	\$13.07
1¾ inch	CEET7	\$9.17
2 inch	CEET8	\$9.36
2½ inch	CEET10	\$9.64
3 inch	CEET12	\$13.35
3½ inch	CEET14	\$12.90

SCAT (-80°F to +600°F) • Silicone • 11 ft length

- Support: Copper coated or bronze plated, spring steel wire helix
- Cover: 1-ply woven fiberglass fabric, impregnated with red silicone rubber
- Cord: Fiberglass cord coated with silicone

Inside Diameter	Part #	Price/Ft
1 inch	SCAT4	\$7.93
1¼ inch	SCAT5	\$8.75
1½ inch	SCAT6	\$10.36
1¾ inch	SCAT7	\$12.32
2 inch	SCAT8	\$13.14
2¼ inch	SCAT9	\$12.92
2½ inch	SCAT10	\$15.91
3 inch	SCAT12	\$18.24
3½ inch	SCAT14	\$17.55
4 inch	SCAT16	\$23.26

SCEET • Silicone • 11 ft length

• Same specifications as SCAT except with 2-ply cover and lining

Inside Diameter	Part #	Price
1¼ inch	SCEET5	\$13.37
1½ inch	SCEET6	\$14.86
2 inch	SCEET8	\$17.71
2½ inch	SCEET10	\$20.84

Miscellaneous Supplies

Description	Part #	Price
Sandpaper, 120 grit	120W&D	\$0.47
Sandpaper, 180 grit	180ADALOX	\$0.38
Sandpaper, 320 grit	180W&D	\$0.47
Sandpaper, 400 grit	320W&D	\$0.47
Sandpaper	400W&D	\$0.47
Cork Strip, ¾" x 36"	CORK-3/8X1	\$25.58
Reinforcement Cowl Seal	LEISR3	\$93.45

Fabric Loom Wrap – priced and sold by the foot

½" inside diameter	LOOM-1/2	\$0.98
¼" inside diameter	LOOM-1/4	\$0.85
⅛" inside diameter	LOOM-1/8	\$0.79
⅜" inside diameter	LOOM-3/8	\$0.80

Mouldings and Channels




Figure	Description	Length in Inches	Part Number	Price Per Length
A	Stinson and Swift Rear Window Seal ¹	72"	34465-R	\$97.35
B	Stinson and Swift Filler Strip ²	72"	33197-R	\$39.95
C	Cessna and Stinson Door Seals	12"	S2249-2	\$0.73
D	Window Seal	48"	F31131-1	\$32.66
E	Windshield Seal	65"	415-31130	\$35.68
F	Rubber Channel for Fairings, Fillets and Cuffs	12"	S202-RB	\$0.63
G	Sliding Glass Window Channel	72"	146-700	\$154.99
H	Rubber Seal for Windows and Doors	12"	187-610	\$1.41
J	Fairing Seal	120"	U19795-000	\$20.55
K	Rubber Extrusion	36"	108-2312050-32	\$63.56

¹ Also used on Forney and some Ercoupees; must be used with filler strip #33197-R

² Also used on Forney and some Ercoupe rear windows; must be used with rear window seal #34465-R

Safety Wire

Stainless Steel Safety Wire

- Sold in 1 lb. spool


Thickness	Part #	Price
.020 inch	MS20995-C20	\$18.46
.032 inch	MS20995-C32	\$16.15
.041 inch	MS20995-C41	\$16.82



Sheet Metal

Aluminum Alloy

- In stock for immediate shipment
- Priced per square foot – sold in full 4' x 12' sheets only (48 sq ft)
- For crating charges, see page 310



Thickness	Alloy	Part #	Price/Sq Ft
.016 inch	2024-T3 Aluminum	2024-T3-.016	\$5.38
.020 inch	2024-O Aluminum	2024-O-.020	\$9.24
.020 inch	2024-T3 Aluminum	2024-T3-.020	\$6.14
.025 inch	3003-H14 Aluminum	3003-H14-.025	\$3.84
.025 inch	2024-O Aluminum	2024-O-.025	\$9.65
.025 inch	2024-T3 Aluminum	2024-T3-.025	\$6.93
.032 inch	5052-H32/H34 Aluminum*	5052-H32/H34-.032*	\$4.65
.032 inch	2024-O Aluminum	2024-O-.032	\$6.93
.032 inch	2024-T3 Aluminum	2024-T3-.032	\$7.89
.040 inch	5052-H32/H34 Aluminum	5052-H32/H34-.040	\$3.90
.040 inch	2024-O Aluminum	2024-O-.040	\$17.38
.040 inch	2024-T3 Aluminum	2024-T3-.040	\$10.24
.050 inch	5052-H32/H34 Aluminum	5052-H32/H34-.050	\$8.59
.050 inch	2024-O Aluminum	2024-O-.050	\$12.61
.050 inch	2024-T3 Aluminum	2024-T3-.050	\$13.01
.063 inch	2024-O Aluminum	2024-O-.063	\$21.83
.063 inch	2024-T3 Aluminum	2024-T3-.063	\$15.99
.080 inch	6061-T6 Aluminum	6061-T6-.080	\$7.98
.100 inch	2024-T3 Aluminum	2024-T3-.100	\$17.22
.125 inch	2024-T3 Aluminum	2024-T3-.125	\$30.33

* Sold in 3' x 12' sheets (36 sq ft)

4130 Steel, Condition A • By the Sheet

- In stock for immediate shipment
- Priced per square foot – sold in full 3' x 6' sheets only (18 sq ft)
- For crating charges, see page 310

Thickness	Part #	Price/Sq Ft
.032 inch	4130A-.032	\$13.38
.040 inch	4130A-.040	\$15.25
.050 inch	4130A-.050	\$14.51
.063 inch	4130A-.063	\$15.56
.100 inch	4130A-.100	\$25.82
.125 inch	4130A-.125	\$27.76

Spar Extrusions

Spar Blanks


- Sold in full lengths only
- Made from 6061-T6 aluminum
- Same extrusion as used on Piper J-3 through PA-25 aircraft
- Spars must be shipped by air or motor freight

Front Spar Blank

17 foot length
1334 \$310.98

Rear Spar Blank

16 foot 3 inch length
1023 \$203.48



Steel 'U' Channels


- Sold in 6 foot lengths

Description	Part #	Price
¼ x ¼ inch Channel (750-284)	X141472	\$8.26
⅜ x ⅜ inch Channel, 24 gauge	U750-285	\$11.01
⅜ x ⅜ inch Channel, 20 gauge	U750-285HD	\$11.68
½ x ½ inch Channel	X121272	\$29.18
¾ x ½ inch Channel	X341272	\$28.48
⅝ x ½ inch Channel	X581272	\$25.57

Easy Ordering From Our Website
www.univair.com

Toll Free Sales: 1-888-433-5433


Strut Blanks (Streamline Tubes)



Univair's streamline tubes are great for lift struts, jury struts, braces, and more. Ideal for home builders too.

Sold in full lengths only. Minimum order is 8 to 11 feet, depending on product. Can be cut down for UPS shipment at customer's request.

Priced per foot. All dimension are in inches.



Piper Strut Barrel

- 3/4" diameter by 2" threaded barrel, as used in the wing lift strut
- Threads must be chased with number 7/16-20 NF-HS-GH1 tap AFTER welded onto strut
- Use a Van Keuren Go-No Go gauge to check barrel threads after chasing



Strut Barrel U1031-04 **\$92.90**


Figure	Section #	Material*	Major Axis	Minor Axis	Wall Thickness	Length	Part Number	Price Per Foot
			Measurement in inches					
A	651	MS	3.480	1.187	.035	123.0	3480C35	\$42.87
	651	MS	3.480	1.187	.035	85.5	3480C35S	\$45.61
B	3410	MS	2.718	1.430	.035	116.0	2718C35	\$45.52
	3410	MS	2.718	1.430	.049	119.0	2718C49	\$45.00
	3410	MS	2.718	1.430	.049	132.0	2718C49-132	\$45.00
C	3053	MS	2.406	1.377	.035	124.0	2406C35	\$41.62
D	622	MS	2.415	0.813	.035	123.0	2415C35	\$19.89
E	3422	MS	1.780	1.060	.035	126.5	1780C35	\$16.90
	3422	MS	1.780	1.060	.035	123.9	1780C35S	\$36.95
F	410	MS	1.473	0.492	.035	138.0	1473C35R	\$12.95
G	-	MS	3.372	1.429	.049	119.5	3372C49R	\$29.88
	-	CM	3.372	1.429	.049	120.0	3372A49R	\$32.03
H	-	CM	2.360	1.000	.049	123.0	2360A49R	\$31.53
J	623	MS	3.890	1.313	.035	213.5	3890C35	\$26.63
	623	MS	3.890	1.313	.035	85.5	3890C35S	\$60.91

* MS = Mild Steel, CM = Chrome-Moly

Stringer Extrusions

Stringer Blanks

- Sold in full lengths only
- Same extrusion as used in original Piper
- Can be easily cut and trimmed to exact length
- Full length stringer blanks must be shipped air or motor freight
- Blanks can be cut for UPS shipment at customer's request



Small Stringer Blank

Length 157 inches..... 1231-157 **\$32.27**

Large Stringer Blank

Length 120 inches..... 1232-120 **\$52.60**
 Length 162 inches..... 1232-162 **\$64.53**

Tubing

Univair carries a large line of tubing in a variety of metals, sizes, and shapes for aircraft applications. If you can't find what you are looking for, please give us a call. We carry:

- 4130 Chrome-moly steel tubing in round, square and rectangular profiles; meets MIL-T-6736 specifications
- 2024-T3, 3003-0, 5052-0, and 6061-T6 aluminum tubing
- Copper tubing

Chrome-Moly 4130 Steel Tubing – MIL-T-6736

- Priced per foot
- Minimum order is 8 feet

Diameter	Wall Thickness	Part #	Price/Ft
1/4"	.028"	0.25X.028	\$12.92
1/4"	.035"	0.25X.035	\$10.85
1/4"	.049"	0.25X.049	\$12.77

